

Swift Group warranty cover

for your peace of mind

Complete customer satisfaction is always a top priority at Swift and the quality ethos extends to the after sales service and market-leading manufacturer's warranty package that comes with every new Swift caravan.

This is designed to give owners confidence in the latest generation of touring caravans.

Six-year bodyshell integrity guarantee

The guarantee extends to the following items:

Body leaks and delamination: water ingress through any permanently sealed seam joints or delamination of panels and floor, being part of the original manufacturer's construction.

The manufacturer will honour the guarantee for 72 months from the date of purchase, provided that the caravan has had an Annual Service including a damp meter test, within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The sixth Annual Service must, however, be carried out before the expiry of the 72 month period from the original date of purchase (or hire purchase).

Three-year SuperSure manufacturer's warranty

The manufacturer will honour the warranty for 36 months from the date of purchase (or hire purchase), provided that the caravan has had an Annual Service within 90 days before or 60 days after each anniversary of the original date of purchase (or hire purchase). The third Annual Service must, however, be carried out before the expiry of the 36 month period from the original date of purchase (or hire purchase).

In the first 12 months the warranty will cover:

Faults arising from a manufacturing defect but not those which are a result of normal wear and tear or those which relate to replacement light bulbs. Also not covered under the first year are faults resulting from accidental damage or damage caused by misuse of any component part of the caravan.

In the years two and three the warranty will cover:

1. Original components of the caravan including permanently fitted equipment forming part of the manufacturer's original specification.*
2. Water ingress and body delamination.

* There are certain exclusions. For the full terms and conditions of these Warranties please refer to the warranty section in the Owner's, Service and Warranty Handbook, or check the details on our website.

Details of your nearest authorised Swift Group Service Centre can be obtained by contacting the Swift Group Customer Care Department on 01482 875740 or enquiring on our website: www.swiftcaravans.co.uk



All Swift models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues.

The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions, to gas, electrics and ventilation. Every Swift caravan carries the "NCC Approved Caravan" badge. The NCC also conduct unannounced inspections at the Swift Group factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

This brochure does not constitute an offer by Swift Group Limited (Swift).

Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

All props are for photographic purposes only and are not included in the specification
Issued May 2008



Quality with Style

Swift Caravans, Dunswell Road, Cottingham,
East Yorkshire HU16 4JX.
Tel: 01482 847332 Fax: 01482 841042
email: enquiry@swiftgroup.co.uk
www.swiftcaravans.co.uk

A MEMBER OF THE SWIFT GROUP

Your Local Dealer



Swift Charisma

220 / 230 / 535 / 540 / 555 / 560 / 570 / 610 / 620 / 650



Swift Charisma

The popular Swift Charisma

has 10 versatile layouts to choose from, all packed full of new features, to offer a winning combination of high specification and class-leading style at an affordable price. Spacious interiors offer class-leading headroom with modern new fabrics and re-styled furniture, whilst attention to detail improves practicality and enjoyment.



Mini Heki

Clear mini Heki rooflights in both the living and bedroom areas provide additional natural light



Mains lights

Stylish front locker design with recessed mains lights





Swift Charisma

The popular Swift Charisma

has 10 versatile layouts to choose from, all packed full of new features, to offer a winning combination of high specification and class-leading style at an affordable price. Spacious interiors offer class-leading headroom with modern new fabrics and re-styled furniture, whilst attention to detail improves practicality and enjoyment.



Mini Heki

Clear mini Heki rooflights in both the living and bedroom areas provide additional natural light



Mains lights

Stylish front locker design with recessed mains lights






Well-equipped kitchens feature a built-in microwave oven, electronic ignition fridge for ease of lighting and Stoves dual fuel hob with 800 watt electric hot plate and three gas burners as standard.

All washrooms now have fully lined showers with gloss plastic lined walls that are easy to clean, a new Thetford toilet with electric flush, larger seat and wheeled waste tank as well as thick washroom doors with a domestic style lock and handle.



Specification

New Layout



Model	220	230	535	560	570	555	540	610	620	650
Berths	2	2	4	4	6	4	5	4	4	6
Number of Axles	1	1	1	1	1	1	1	2	2	2
Internal Length (at bed box height)	3.83m/12'7"	4.59m/15'1"	4.74m/15'7"	5.44m/17'10"	5.50m/18'1"	5.50m/18'1"	5.60m/18'4"	6.27m/20'7"	6.27m/20'7"	6.27m/20'7"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.29m/7'6"	2.23m/7'4"	2.29m/7'6"	2.29m/7'6"	2.29m/7'6"
Overall Height (including TV aerial)	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"	2.70m/8'10"
Maximum internal headroom	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"	1.95m/6'5"
Overall Length	5.52m/18'1"	6.28m/20'7"	6.43m/21'1"	7.12m/23'4"	7.19m/23'7"	7.19m/23'7"	7.29m/23'11"	7.96m/26'1"	7.96m/26'1"	7.96m/26'1"
Awning A/A Dimension	8.15m/26'9" *	8.91m/29'3"	9.08m/29'9"	9.75m/32'0"	9.82m/32'3"	9.82m/32'3"	9.87m/32'5"	10.58m/34'9"	10.58m/34'9"	10.58m/34'9"
Mass in Running Order (including tolerance)	1005kg/19.8cwt *	1118kg/22.0cwt	1127kg/22.2cwt	1250kg/24.6cwt	1269kg/25.0cwt	1269kg/25.0cwt	1263kg/24.9cwt	1426kg/28.1cwt	1431kg/28.2cwt	1481kg/29.2cwt
Essential Habitation Equipment Payload	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	68kg/1.3cwt	104kg/2.0cwt	104kg/2.0cwt	104kg/2.0cwt
Personal Effects Payload	96kg/1.9cwt	104kg/2.0cwt	125kg/2.5cwt	132kg/2.6cwt	153kg/3.0cwt	133kg/2.6cwt	144kg/2.8cwt	140kg/2.8cwt	140kg/2.8cwt	160kg/3.1cwt
Optional Equipment Payload	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt	10kg/0.2cwt
Maximum Technical Permissible Laden Mass	1179kg/23.2cwt *	1300kg/25.5cwt	1330kg/26.2cwt	1460kg/28.7cwt	1500kg/29.5cwt	1480kg/29.1cwt	1485kg/29.2cwt	1680kg/33.1cwt	1685kg/33.2cwt	1755kg/34.5cwt
Tyre Size	175 R14 99	175 R14 99	175 R14 99	185 R14 102	185 R14 102	185 R14 102	185 R14 102	175/65 R14 86	175/65 R14 86	175/65 R14 86

Bed Sizes

Front Double	2.08m x 1.90m/6'10" x 6'3"	2.08m x 1.80m/6'10" x 5'11"	2.08m x 1.34m/6'10" x 4'5"	2.08m x 1.80m/6'10" x 5'11"	2.08m x 1.80m/6'10" x 5'11"	2.13m x 1.59m/7'0" x 5'3"	2.08m x 1.80m/6'10" x 5'11"	2.13m x 1.67m/7'0" x 5'6"	2.13m x 1.67m/7'0" x 5'6"	2.13m x 1.90m/7'0" x 6'3"
Front Single (nearside)	1.90m x 0.72m/6'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"		1.80m x 0.72m/5'11" x 2'4"	1.80m x 0.72m/5'11" x 2'4"	1.67m x 0.72m/5'6" x 2'4"	1.90m x 0.72m/6'3" x 2'4"	1.67m x 0.72m/5'6" x 2'4"	1.67m x 0.72m/5'6" x 2'4"	1.90m x 0.72m/6'3" x 2'4"
Front Single (offside)	1.90m x 0.72m/6'3" x 2'4"	1.80m x 0.72m/5'11" x 2'4"		1.90m x 0.72m/6'3" x 2'4"	1.80m x 0.72m/5'11" x 2'4"	1.59m x 0.72m/5'3" x 2'4"	1.80m x 0.72m/5'11" x 2'4"	1.90m x 0.72m/6'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"	1.90m x 0.72m/6'3" x 2'4"
Rear Double			1.88m x 1.37m/6'2" x 4'6"			1.92m x 1.38m/6'4" x 4'6"	2.08m x 1.29m/6'10" x 4'3"	1.86m x 1.34m/6'1" x 4'5"	1.93m x 1.37m/6'4" x 4'6"	2.13m x 1.78m/7'0" x 5'10"
Rear Bunk							1.90m x 0.56m/6'3" x 1'10"			
Side Single (offside)				1.80m x 0.70m/5'11" x 2'4"						1.91m x 0.67m/6'3" x 2'2"
Side Single (nearside)					1.80m x 0.70m/5'11" x 2'4"					1.79m x 0.67m/5'10" x 2'2"
Side Bunk (offside)			1.78m x 0.59m/5'10" x 1'11"							1.80m x 0.59m/5'11" x 1'11"
Side Bunk (nearside)					1.78m x 0.59m/5'10" x 1'11"					1.70m x 0.59m/5'7" x 1'11"
Rear Fixed Lower Bunk					1.80m x 0.62m/5'11" x 2'1"					
Rear Fixed Upper Bunk					1.79m x 0.60m/5'10" x 2'0"					



High security lock with automotive style flipper key



Shock absorbers give more stable, smooth towing



Reliable high performance water supply



Three mains sockets and two TV points

Features

Key features

- Class leading headroom of 1.95m (6'5")
- Overall body width 2.23m/7'4" or 2.29m/7'6" (see above)
- Stylish new one-piece rear panels
- One-piece, thick gauge, high gloss aluminium sidewalls
- High security entrance lock for peace of mind
- Shock absorbers giving more stable, smooth towing
- AKS 3004 Stabiliser
- Steel spare wheel and carrier
- Status 530 directional TV aerial
- Door flyscreen with easy concertina action
- Class leading front locker design with recessed mains lights

- Mini-Heki clear rooflights in kitchens and bedrooms
- Beech slat seat and bed bases with sprung hinged tops for extra comfort and easy access
- Upper lockers and seat bases with spaceframe construction
- 3rd mains socket and 2nd TV point near front or rear chest
- Radio/CD/MP3 player with iPod connection
- Built-in microwave oven
- Dual fuel hob with 800W electric hotplate
- Electronic ignition, digital control 107 litre fridge
- Showers with gloss plastic lined walls
- Class washroom doors with domestic style locks and handles

- New Thetford toilet with electric flush and wheeled waste tank
- 40 litre underfloor insulated fresh water tank (twin-axle models)
- High capacity in-board pump with chrome finish brass taps for reliable, high performance water supply

Additional features

Exterior

- Exclusive new alloy wheels
- 13-pin 'Jaeger' 12V car connector
- AL-KO galvanised steel chassis with Euro-Axle
- AL-KO Euro overrun device with two-way assisted handbrake
- Receiver for optional AL-KO Secure wheel lock
- Gas regulator for Propane and Butane mounted on front bulkhead

- Moulded front panel with three opening windows and door with gas strut
- Fully double-glazed opening windows (no single-glazed cold areas) with silver finished edges
- Exterior two-part door with interior moulded liner, window, blind and waste bin
- Exterior access battery box with mains electric inlet (battery not included)
- Entrance step
- Flush fitting awning light
- 25mm 'sandwich' sidewalls with HD polystyrene insulation core
- 32mm semi-'sandwich' roof with HD polystyrene insulation core
- 44mm 'sandwich' floor with Styrofoam insulation core

Interior

- Heki large tilting panoramic roof window with flynet and blind
- Cassette flyscreens and blinds on all windows
- Twin curtain track for improved hanging and ease of use
- Sprung interior mattresses, seat and backrest cushions
- Fixed beds with aluminium frames to maximise strength and storage space
- Seat and backrest ventilation boards
- Long front beds 1.90m (6'3") (model specific, see above)
- Two scatter cushions
- Two bolster cushions
- Removable carpets over woodblock effect vinyl flooring
- Removable entrance mat

Bed sizes: Please note that double bed sizes are quoted with wrap round seating
Awning sizes: Due to the varying awning designs and sizes the awning sizes given are approximate only. Specific awning sizes must be confirmed by your dealer or the awning manufacturer prior to purchase.
 * Estimated weight.

- Analogue clock
- Lightweight deep worktops with matching edges
- Recessed stainless steel kitchen sink
- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Moulded cutlery drawer on smooth steel runners
- New soft furnishings with sprung upholstery

Equipment

- Stoves thermostatic oven and separate grill
- Glass hob lid with safety cut-out feature
- Dual fuel gas and 800W mains electric storage water heater

- Dual fuel (3kW gas and 2kW mains) central heating with electronic ignition
- Blown air ducted to living, sleeping and washroom areas
- Areas under seats and beds warmed by blown air system
- Grade 2 classification for heating and thermal insulation
- Wheeled waste water tank (twin-axle models only)
- Isolation taps for gas appliances
- Fully protected mains electric system
- Two TV stations with 230V, 12V and coax aerial sockets
- 230V socket in kitchen area
- 20 Amp switchmode charger/transformer
- 12V control panel with battery state meter, tank level indicator, car/caravan battery switch and water pump switch

- Solar panel connection provision
- 230V mains lights over front seating
- Halogen ceiling lights in living and washroom areas
- Halogen adjustable downlights in lounge/sleeping areas
- Fluorescent light in kitchen
- 25 metre mains hook-up cable

Safety and Security

- Higher tyre ratings - 10% load margin at 130kph (law permitting)
- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- All models comply with British and European safety standards